International Journal of **Biological Macromolecules**
Structure, function and interactions

Index to Volume 14 (1992)

No 1 pp 1–64
No 2 pp 65–120
No 3 pp 121–176
No 4 pp 177–240
No 5 pp 241–296
No 6 pp 297–352

Author Index

Aiba, S-i., Studies on chitosan: 4. Lysozymic hydrolysis of partially N-acetylated chitosans, 225
Albiser, G. and Premilat, S., B-Z conformational transition and hydration of poly (dC-DG).poly (dC-dG) in fibres, 161
Alexeev, D. G., Lipanov, A. A. and Skuratovskii, I. Ya., Patterson methods in fibre diffraction analysis, 139
Allen, S., Stevens, L., Duncan, D., Kelly, S. M. and Price, N. C., Unfolding and refolding of hen egg-white riboflavin binding protein, 333
Amor, S. R. *see* Harrison, S. T. L., 50
Andersen, H. A., A peptide from Tetrahymena disrupts subunit organization of E. coli RNA polymerase, 338
Aoki, K. *see* Yamasaki, M., 305
Atreyi, M. *see* Ratna, 201

Bailey, A. J. *see* Gorham, S. D., 129
Balboni, G. *see* Busetti, V., 23
Barciszewska, M. Z., Barciszewski, J. and Erdmann, V. A., Unfolding of the tertiary structure of specific tRNA and ribosomal 5S RNA from plants as studied with hydroxyl radicals, 41
Barciszewski, J. *see* Barciszewska, M. Z., 41
Baxter, A., Dillon, M., Taylor, K. D. A. and Roberts, G. A. F., Improved method for i.r. determination of the degree of N-acetylation of chitosan, 166
Blanshard, J. M. V. *see* Kalichevsky, M. T., 257
Blanshard, J. M. V. *see* Kalichevsky, M. T., 267
Bonora, G. M. *see* Moretto, V., 178
Bonthrone, K. M. *see* Harrison, S. T. L., 50
Bouchemal, N. *see* Cros, S., 313
Brandt, H. *see* Gross, R. A., 33
Burova, T. V., Grinberg, N. V., Grinberg, V. Ya., Tolstoguzov, V. B., Schlesier, B. and Muntz, K., Study of the conformational stability of 7S globulin from french beans (phaseolin) using high-sensitivity differential scanning microcalorimetry, 2
Busetti, V., Crisma, M., Toniolo, C., Salvadori, S. and Balboni, G. α,β-Dehydro-amino acid residues in the design of peptide structures. Molecular and crystal structures of two folded dehydro peptides, 23
Cartier, N. *see* Domard, A., 100
Cerezo, A. S. *see* Matulewicz, M. C. 29
Chanzy, H. *see* Persson, J. E., 221
Chase, H. A. *see* Harrison, S. T. L., 50
Chazin, W. J. *see* Chen, S-m., 57
Chen, S-m., Leupin, W. and Chazin, W. J., Conformational studies of the duplex d-(CCAAAAATTTCC).d-(GGAAATTTTTGG) containing a(dA)5 tract using two-dimensional ^{1}H-n.m.r. spectroscopy, 57
Chiessi, E. *see* Paradossi, G., 73
Chrisatianson, D. W. *see* Ippolito, J. A., 193
Chujo, R. *see* Yoshi, N., 81
Chujo, R. *see* Nakamura, K., 117
Chujo, R. *see* Mimura, Y., 242
Crisma, M. *see* Busetti, V., 23
Crisma, M. *see* Moretto, V., 178
Cros, S., Herve du Penhoat, C., Bouchemal, N., Ohassan, H., Imberty, A. and Perez, S., Solution conformation of a pectin fragment disaccharide using molecular modelling and nuclear magnetic resonance, 313

Damerau, W. *see* Welfle, H., 9
Demidchik, N. V. *see* Nikandrov, V. N., 229
Diamond, A. M. *see* Gorham, S. D., 129
Diczhazi, C. *see* Legras, S., 97
Dillon, M. *see* Baxter, A., 166
Doi, Y. *see* Yoshi, N., 81
Doi, Y. *see* Muka:, K., 235
Domard, A. and Cartier, N., Glucosamine oligomers: 4. Solid state-crystallization and sustained dissolution, 100
Domard, A. *see* Persson, J. E., 221
Duncan, D. *see* Allen, S., 333
Dung, P. L. *see* Rinaudo, M., 122

Elgart, G. W. *see* Green, K. J., 145
Erdmann, V. A. *see* Barciszewska, M. Z., 41

Fabian, H. *see* Welfle, H., 9
Fabian, H. *see* Misselwitz, R., 107
Fernandez, Y., Perez, J. J. and Ricart, J. M., Molecular mechanical study of the stability of the Lys-Ala-Ala tripeptide dimer, 154
Fujii, T. *see* Ogoma, Y., 279
Fuller, R. C. *see* Gross, R. A., 33

Gerlach, D. *see* Welfle, H., 9
Gerlach, D. *see* Welfle, K., 19
Gerlach, D. *see* Misselwitz, R., 107
Gey, C. *see* Rinaudo, M., 122
Gorham, S. D., Light, N. D., Diamond, A. M., Willins, M. J., Bailey, A. J., Wess, T. J. and Leslie, N. J., Effect of chemical modifications on the susceptibility of collagen to proteolysis. II. Dehydrothermal crosslinking, 129
Goto, Y. *see* Yoshi, N., 81
Goto, Y. *see* Nakamura, K., 117
Goto, Y. *see* Nakamura, K., 321
Gotoh, Y., Tsukada, M. and Minoura, N., Chemical modification of arginyl residues in silk fibroin: I. Reaction of 1,2-cyclohexanedione in borate buffer, 198
Green, K. J., Virata, M. L. A., Elgart, G. W., Stanley, J. R. and Parry, D. A. D., Comparative structural analysis of desmoplakin, bullous pemphigoid antigen and plectin: members of a new gene family involved in organization of intermediate filaments, 145
Grinberg, N. V. *see* Burova, T. V., 2
Grinberg, V. Ya. *see* Burova, T. V., 2
Gross, R. A., Ulmer, H. W., Lenz, R. W., Tshudy, D. J. Uden, P. C., Brandt, H., and Fuller, R. C., Biodeuteration of poly(β-hydroxybutyrate), 33
Guantieri, V. *see* Megret, C., 45

Hachimori, A. *see* Ogoma, Y., 279
Hansen, P. E. *see* Lauritzen, C., 326
Harrison, S. T. L., Chase, H. A., Amor, S. R., Bonthrone, K. M. and Sanders, J. K. M., Plasticization of poly(hydroxybutyrate) in vivo, 50
Hatano, M. *see* Ogoma, Y., 279
Herve du Penhoat, C. *see* Cros, S., 313
Hoelzer, W. *see* Welfle, H., 9

Ikeda, K. *see* Kunugi, S.,
Imberty, A. *see* Cros, S., 313
Inou, Y. *see* Mimura, Y., 242
Inoue, Y. *see* Yoshi, N., 81
Inoue, Y. *see* Nakamura, K., 117
Inoue, Y. *see* Nakamura, K., 321
Ippolito, J. A. and Christianson, D. W., The contribution of halogen atoms to protein-ligand interactions, 193
Itoh, N. *see* Kunugi, S.,

0141-8130/92/060348-02
© 1992 Butterworth-Heinemann Limited

International Journal of **Biological Macromolecules**
Structure, function and interactions

Index to Volume 14 (1992)

No 1 pp 1–64
No 2 pp 65–120
No 3 pp 121–176
No 4 pp 177–240
No 5 pp 241–296
No 6 pp 297–352

Author Index

Aiba, S-i., Studies on chitosan: 4. Lysozymic hydrolysis of partially N-acetylated chitosans, 225
Albiser, G. and Premilat, S., B-Z conformational transition and hydration of poly (dC-DG).poly (dC-dG) in fibres, 161
Alexeev, D. G., Lipanov, A. A. and Skuratovskii, I. Ya., Patterson methods in fibre diffraction analysis, 139
Allen, S., Stevens, L., Duncan, D., Kelly, S. M. and Price, N. C., Unfolding and refolding of hen egg-white riboflavin binding protein, 333
Amor, S. R. *see* Harrison, S. T. L., 50
Andersen, H. A., A peptide from Tetrahymena disrupts subunit organization of E. coli RNA polymerase, 338
Aoki, K. *see* Yamasaki, M., 305
Atreyi, M. *see* Ratna, 201

Bailey, A. J. *see* Gorham, S. D., 129
Balboni, G. *see* Busetti, V., 23
Barciszewska, M. Z., Barciszewski, J. and Erdmann, V. A., Unfolding of the tertiary structure of specific tRNA and ribosomal 5S RNA from plants as studied with hydroxyl radicals, 41
Barciszewski, J. *see* Barciszewska, M. Z., 41
Baxter, A., Dillon, M., Taylor, K. D. A. and Roberts, G. A. F., Improved method for i.r. determination of the degree of N-acetylation of chitosan, 166
Blanshard, J. M. V. *see* Kalichevsky, M. T., 257
Blanshard, J. M. V. *see* Kalichevsky, M. T., 267
Bonora, G. M. *see* Moretto, V., 178
Bonthrone, K. M. *see* Harrison, S. T. L., 50
Bouchemal, N. *see* Cros, S., 313
Brandt, H. *see* Gross, R. A., 33
Burova, T. V., Grinberg, N. V., Grinberg, V. Ya., Tolstoguzov, V. B., Schlesier, B. and Muntz, K., Study of the conformational stability of 7S globulin from french beans (phaseolin) using high-sensitivity differential scanning microcalorimetry, 2
Busetti, V., Crisma, M., Toniolo, C., Salvadori, S. and Balboni, G. α,β-Dehydro-amino acid residues in the design of peptide structures. Molecular and crystal structures of two folded dehydro peptides, 23
Cartier, N. *see* Domard, A., 100
Cerezo, A. S. *see* Matulewicz, M. C. 29
Chanzy, H. *see* Persson, J. E., 221
Chase, H. A. *see* Harrison, S. T. L., 50
Chazin, W. J. *see* Chen, S-m., 57
Chen, S-m., Leupin, W. and Chazin, W. J., Conformational studies of the duplex d-(CCAAAAATTTCC).d-(GGAAATTTTTGG) containing a(dA)5 tract using two-dimensional ^{1}H-n.m.r. spectroscopy, 57
Chiessi, E. *see* Paradossi, G., 73
Chrisatianson, D. W. *see* Ippolito, J. A., 193
Chujo, R. *see* Yoshi, N., 81
Chujo, R. *see* Nakamura, K., 117
Chujo, R. *see* Mimura, Y., 242
Crisma, M. *see* Busetti, V., 23
Crisma, M. *see* Moretto, V., 178
Cros, S., Herve du Penhoat, C., Bouchemal, N., Ohassan, H., Imberty, A. and Perez, S., Solution conformation of a pectin fragment disaccharide using molecular modelling and nuclear magnetic resonance, 313

Damerau, W. *see* Welfle, H., 9
Demidchik, N. V. *see* Nikandrov, V. N., 229
Diamond, A. M. *see* Gorham, S. D., 129
Diczhazi, C. *see* Legras, S., 97
Dillon, M. *see* Baxter, A., 166
Doi, Y. *see* Yoshi, N., 81
Doi, Y. *see* Muka:, K., 235
Domard, A. and Cartier, N., Glucosamine oligomers: 4. Solid state-crystallization and sustained dissolution, 100
Domard, A. *see* Persson, J. E., 221
Duncan, D. *see* Allen, S., 333
Dung, P. L. *see* Rinaudo, M., 122

Elgart, G. W. *see* Green, K. J., 145
Erdmann, V. A. *see* Barciszewska, M. Z., 41

Fabian, H. *see* Welfle, H., 9
Fabian, H. *see* Misselwitz, R., 107
Fernandez, Y., Perez, J. J. and Ricart, J. M., Molecular mechanical study of the stability of the Lys-Ala-Ala tripeptide dimer, 154
Fujii, T. *see* Ogoma, Y., 279
Fuller, R. C. *see* Gross, R. A., 33

Gerlach, D. *see* Welfle, H., 9
Gerlach, D. *see* Welfle, K., 19
Gerlach, D. *see* Misselwitz, R., 107
Gey, C. *see* Rinaudo, M., 122
Gorham, S. D., Light, N. D., Diamond, A. M., Willins, M. J., Bailey, A. J., Wess, T. J. and Leslie, N. J., Effect of chemical modifications on the susceptibility of collagen to proteolysis. II. Dehydrothermal crosslinking, 129
Goto, Y. *see* Yoshi, N., 81
Goto, Y. *see* Nakamura, K., 117
Goto, Y. *see* Nakamura, K., 321
Gotoh, Y., Tsukada, M. and Minoura, N., Chemical modification of arginyl residues in silk fibroin: I. Reaction of 1,2-cyclohexanedione in borate buffer, 198
Green, K. J., Virata, M. L. A., Elgart, G. W., Stanley, J. R. and Parry, D. A. D., Comparative structural analysis of desmoplakin, bullous pemphigoid antigen and plectin: members of a new gene family involved in organization of intermediate filaments, 145
Grinberg, N. V. *see* Burova, T. V., 2
Grinberg, V. Ya. *see* Burova, T. V., 2
Gross, R. A., Ulmer, H. W., Lenz, R. W., Tshudy, D. J. Uden, P. C., Brandt, H., and Fuller, R. C., Biodeuteration of poly(β-hydroxybutyrate), 33
Guantieri, V. *see* Megret, C., 45

Hachimori, A. *see* Ogoma, Y., 279
Hansen, P. E. *see* Lauritzen, C., 326
Harrison, S. T. L., Chase, H. A., Amor, S. R., Bonthrone, K. M. and Sanders, J. K. M., Plasticization of poly(hydroxybutyrate) in vivo, 50
Hatano, M. *see* Ogoma, Y., 279
Herve du Penhoat, C. *see* Cros, S., 313
Hoelzer, W. *see* Welfle, H., 9

Ikeda, K. *see* Kunugi, S.,
Imberty, A. *see* Cros, S., 313
Inou, Y. *see* Mimura, Y., 242
Inoue, Y. *see* Yoshi, N., 81
Inoue, Y. *see* Nakamura, K., 117
Inoue, Y. *see* Nakamura, K., 321
Ippolito, J. A. and Christianson, D. W., The contribution of halogen atoms to protein-ligand interactions, 193
Itoh, N. *see* Kunugi, S.,

0141-8130/92/060348-02
© 1992 Butterworth-Heinemann Limited

Jaroszkiewicz, E. M. *see* Kalichevsky, M. T., 257
Jaroszkiewicz, E. M. *see* Kalichevsky, M. T., 267
Jarret, R. M. *see* Matulewicz, M. C. 29

Kalichevsky, M. T., Jaroszkiewicz, E. M. and Blanshard, J. M. V., Glass transition of gluten. 1: Gluten and gluten - sugar mixtures, 257
Kalichevsky, M. T., Jaroszkiewicz, E. M. and Blanshard, J. M. V., Glass transition of gluten 2: The effect of lipids and emulsifiers, 267
Kalnin, N. N. *see* Welfle, H., 9
Kelly, S. M. *see* Allen, S., 333
Kobayashi, H. *see* Ogoma, Y., 279
Kondo, Y. *see* Ogoma, Y., 279
Koriyama, T. *see* Ogawa, R., 343
Kostka, S. *see* Misselwitz, R., 107
Kraft, R. *see* Misselwitz, R., 107
Kunugi, S., Murakami, Y., Ikeda, K. and Itoh, N., Chemical modification of proteins under high pressure. Preparation of ferrocene-attached bovine serum albumin and glucose oxidase,

Lacabanne, C. *see* Megret, C., 45
Lamure, A. *see* Megret, C., 45
Lauritzen, C., Skovgaard, O., Hansen, P. E. and Tuchsen, E., Effects of N-terminal extension peptides on the structure and stability of bovine pancreatic trypsin inhibitor studies by 1H n.m.r., 326
Lefebvre, J. *see* Renard, D., 287
Legras, S., Dizchazi, C. and Moczar, M., N-oleoyl heparin inhibits the amidolytic activity of plasmin and urokinase, 97
Lenz, R. W. *see* Gross, R. A., 33
Leslie, N. J. *see* Gorham, S. D., 129
Leupin, W. *see* Chen, S-m., 57
Light, N. D. *see* Gorham, S. D., 129
Lipanov, A. A. *see* Alexeev, D. G., 139

Matulewicz, M. C., Cerezo, A. S., Jarret, R. M. and Syn, N., High resolution ^{13}C-n.m.r. spectroscopy of 'mixed linkage' xylans, 29
Megret, C., Guantieri, V., Lamure, A., Pieraggi, M.Th., Lacabanne, C. and Tamburro, A. M., Phase transitions and chain dynamics, in the solid state, of a pentapeptide sequence of elastins, 45
Milas, M. *see* Rinaudo, M., 122
Mimura, Y., Yamamoto, Y., Inou, Y. and Chujo, R., N.m.r. study of interaction between sugar and peptide moieties in mucin-type model glycopeptides, 242
Minoura, N. *see* Gotoh, Y., 198
Misselwitz, R. *see* Welfle, H., 9
Misselwitz, R. *see* Welfle, K., 19
Misselwitz, R., Kraft, R., Kostka, S., Fabian, H., Welfle, K., Pfeil, W., Welfle, H. and Gerlach., Limited proteolysis of streptokinase and properties of some fragments, 107
Miura, Y. *see* Ogawa, R., 343
Moczar, M. *see* Legras, S., 97
Moretto, V., Valle, G., Crisma, M., Bonora, G. M. and Toniolo, C., Monomer units for the β-bend ribbon structure: MeAib peptides, 178
Mukai, K., Yamada, K. and Doi, Y., Extracellular poly(hydroxyalkanoate) depolymerases and their inhibitor from Pseudomonas lemoignei, 235
Muntz, K. *see* Burova, T. V., 2
Murakami, Y. *see* Kunugi, S.,
Muta, E. *see* Okamoto, Y., 215

Nakamura, K., Goto, Y., Yoshie, N., Inoue, Y. and Chujo, R., Biosynthesis of poly(3-hydroxyalkanoates) from threoine, 117
Nakamura, K., Goto, Y., Yoshi, N. and Inoue, Y., Biosynthesis of poly(3-hydroxyalkanoate) from amino acids, 321
Nikandrov, V. N., Vorobyova, G. V., Yankovskaya, G. S. and Demidchik, N. V., Conformation ability test of human, rabbit and bovine plasminogens and their specific interaction with streptokinase, 229
Nishi, N. *see* Okamoto, Y., 215
Nishida, A. *see* Yamanoto, H., 66

Ogawa, R., Miura, Y., Tokura, S. and Koriyama, T., Susceptibilities of bacterial cellulose containing N-acetylglucosamine residues for cellulolytic and chitinolytic enzymes, 343
Ogoma, Y., Kobayashi, H., Fujii, T., Kondo, Y., Hachimori, A., Shimizu, T. and Hatano, M., Binding study of metal ions to S100 protein: ^{43}Ca, ^{25}Mg, ^{67}Zn and ^{39}K n.m.r, 279
Ohara, H-i. *see* Yamamoto, H., 66
Ohassan, H. *see* Cros, S., 313
Okamoto, Y., Muta, E., Ota, S. and Nishi, N., Studies on the function mechanism of a Formosan grey mullet protamine-mugiline β M6: interaction of the M6 and M6 fragments with DNA, 215
Ota, S. *see* Okamoto, Y., 215

Palleschi, A. *see* Paradossi, G., 73
Paradossi, G., Chiessi, E., Venanzi, M., Pispisa, B. and Palleschi, A., Branched-chain analogues of linear polysaccharides: a spectroscopic and conformational investigation of chitosan derivatives, 73
Parry, D. A. D. *see* Green, K. J., 145
Perez, J. J. *see* Fernandez, Y., 154
Perez, S. *see* Cros, S., 313
Persson, J. E., Domard, A. and Chanzy, H., Single crystals of α-chitin, 221
Pfeil, W. *see* Welfle, K., 19
Pfeil, W. *see* Misselwitz, R., 107
Pieraggi, M. Th. *see* Megret, C., 45
Pispisa, B. *see* Paradossi, G., 73
Prakash, V. *see* Rajendran, S., 298
Premilat, S. *see* Albiser, G., 161
Price, N. C. *see* Allen, S., 333

Rajendran, S. and Prakash, V., Association of proteins in acidic solutions – a case study with β-globulin, 298
Rao, M. V. R. *see* Ratna, 201
Rao, V. S. R. *see* Reddy, V. S., 185
Ratna, Atreyi, M. and Rao, M. V. R., Interaction of two fragments of Cibacron Blue F3G$_A$ having anthraquinone chromophores with basic polypeptides, 201
Reddy, V. S. and Rao, V. S. R., Modes of binding of α(1–2) (linked manno-oligosaccharides to concanavalin A, 185
Renard, D. and Lefebvre, J., Gelation of globular proteins: effect of pH and ionic strength on the critical concentration for gel formation. A simple model and its application to β-lactoglobulin heat-induced gelation., 287
Ricart, J. M. *see* Fernandez, Y., 154
Rinaudo, M., Dung, P. L., Gey, C. and Milas, M., Substituent distribution on O,N-carboxymethylchitosans by ^{1}H and ^{13}C n.m.r., 122
Roberts, G. A. F. *see* Baxter, A., 166

Saimito, H. *see* Shigemasa, Y., 274
Sakurai, M. *see* Yoshi, N., 81
Salvadori, S. *see* Busetti, V., 23
Sanders, J. K. M. *see* Harrison, S. T. L., 50
Sarko, A. *see* Yui, T., 87
Sashiwa, H. *see* Shigemasa, Y., 274

Schlesier, B. *see* Burova, T. V., 2
Seger, R., Shimron, F. and Yagil, G., Construction of nucleosome cores from defined DNA sequences of prokaryotic origin, 249
Shigemasa, Y., Sashiwa, H., Tanioka, S-i., Saimito, H., Tangigawa, T. and Tanaka, Y., Behaviour of mouse macrophage cell line and mouse fibroblast on copolymers containing cellulose triacetate, 274
Shimizu, T. *see* Ogoma, Y., 279
Shimron, F. *see* Seger, R., 249
Skovgaard, O. *see* Lauritzen, C., 326
Skuratovskii, I. Ya. *see* Alexeev, D. G., 139
Stanley, J. R. *see* Green, K. J., 145
Stevens, L. *see* Allen, S., 333
Syn, N. *see* Matulewicz, M. C., 29

Tamburro, A. M. *see* Megret, C., 45
Tanaka, Y. *see* Shigemasa, Y., 274
Tangigawa, T. *see* Shigemasa, Y., 274
Tanioka, S-i. *see* Shigemasa, Y., 274
Tanisho, H. *see* Yamamto, H., 66
Taylor, K. D. A. *see* Baxter, A., 166
Tokura, S. *see* Ogawa, R., 343
Tolstoguzov, V. B. *see* Burova, T. V., 2
Toniolo, C. *see* Busetti, V., 23
Toniolo, C. *see* Moretto, V., 178
Tshudy, D. J. *see* Gross, R. A., 33
Tsukada, M. *see* Gotoh, Y., 198
Tuchsen, E. *see* Lauritzen, C., 326

Uden, P. C. *see* Gross, R. A., 33
Ulmer, H. W. *see* Gross, R. A., 33

Valle, G. *see* Moretto, V., 178
Venanzi, M. *see* Paradossi, G., 73
Venyaminov, S. Yu. *see* Welfle, H., 9
Virata, M. L. A. *see* Green, K. J., 145
Vorobyova, G. V. *see* Nikandrov, V. N., 229

Welfle, H. *see* Welfle, K., 19
Welfle, H. *see* Misselwitz, R., 107
Welfle, H., Misselwitz, R., Fabian, H., Damerau, W., Hoelzer, W., Gerlach, D., Kalnin, N. N. and Venyaminov, S., Conformational properties of streptokinase-secondary structure and localization of aromatic amino acids, 9
Welfle, K. *see* Misselwitz, R., 107
Welfle, K., Pfeil, W., Misselwitz, R., Welfle, H. and Gerlach, D., Conformational properties of streptokinase-differential scanning calorimetric investigations, 19
Wess, T. J. *see* Gorham, S. D., 129
Willins, M. J. *see* Gorham, S. D., 129

Yagil, G. *see* Seger, R., 249
Yamada, K. *see* Mukai, K., 235
Yamamoto, H., Tanisho, H., Ohara, H-i. and Nishida, A., Cross-linking and gel formation of water-soluble lysine polypeptides. An insolubilization model reaction for adhesive proteins, 66
Yamamoto, Y. *see* Mimura, Y., 242
Yamasaki, M., Yano, H. and Aoki, K., Differential scanning calorimetric studies on bovine serum albumin: III. Effect of sodium dodecyl sulphate, 305
Yankovskaya, G. S. *see* Nikandrov, V. N., 229
Yano, H. *see* Yamasaki, M., 305
Yoshi, N. *see* Nakamura, K., 321
Yoshi, N., Goto, Y., Sakurai, M., Inoue, Y., Chujo, R. and Doi, Y., Biosynthesis and n.m.r. studies of deuterated poly(3-hydroxybutyrate) produced by *Alcaligenes eutrophus* H16, 81
Yoshie, N. *see* Nakamura, K., 117
Yui, T. and Sarko, A., Molecular and crystal structure of (1→3)-α-D-glucan triacetate, 87

Keyword Index

Acid pH
  Sesame seed protein, β-globulin, 298
Aggregation
  β-lactoglobulin, Transition sol-gel, 287
Alcaligenes eutrophus
  Poly(3-hydroxybutyrate), Deuterium label, 81
  Biosynthesis, Amino acid, 117
Amino acid
  Biosynthesis, Alcaligenes eutrophus, 117
  Biosynthesis, Poly(3-hydroxyalkanoate), 321
Arginyl residue
  Silk fibroin, Chemical modification, 198

B-Z helical transition
  Poly(dC-dG).poly(dC-dG), Hydration, 161
B-blends
  α,β-dehydro-peptides, α,β-dehydro-phenylalanine, 23
β-globulin
  Seasame seed protein, Acid pH, 298
β-lactoglobulin
  Transition sol-gel, Aggregation, 287
Bacterial cellulose containing N-acetylglucosamine
  Turbidimetric lysozyme assay, Enzyme susceptibilities, 343
Binding
  s100 protein, ^{43}Ca n.m.r., 279
Biosynthesis
  Alcaligenes eutrophus, Amino acid, 117
  Poly(3-hyydroxyalkanoate), Amino acid, 321
Bovine pancreatic trypsin inhibitor
  Salt bridge trypsin inhibitor
  Salt bridge, Hydrogen exchange, 326
Bovine serum albumin
  Thermal denaturation, Differential scanning calorimetry, 305

Calorimetry
  Streptokinasse, Domain structure, 19
Cellulose
  Copolymer, Triacetate, 274
Chemical modification
  Silk fibroin, Arginyl residue, 198
  High pressure, Denaturation,
Chitin
  ^{1}H n.m.r., ^{13}C n.m.r, 122
  Chitosan, N-acetylation, 166
Chitosan
  Chitin, N-acetylation, 166
  N-acetylation, Lysozyme, 225
Chitosan derivatives
  Polyelectrolytes, Conformation,, 73
Circular dichroism
  Streptokinase, Protein structure, 9
  Polypeptide, Polypeptide-dye complex, 201
Collagen
  Dehydrothermal, Crosslink, 129
Concanaval in A
  α(1-2) linked manno-oligosaccharides, 185
Conformation
  Polyelectrolytes, Chitosan derivatives, 73
  α-Methylaminoisobutyric acid, Peptides, 178
  Glycopeptide, N.m.r., 242
  Pectin fragment, Molecular modelling, 313
Copolymer
  Cellulose, Triacetate, 274
Cross-linking reaction
  Water insolubilization, Organic cross-linking agents, 66
Crosslink
  Collagen, Dehydrothermal, 129
Crystal structure
  (1→3)α-D-glucan triacetate, X-ray diffraction analysis, 87
  α-Chitin, i.r. spectroscopy, 221

Crystallization
  Glucosamine oligomers, Dissociation, 100

DNA
  Nucleosomes, Nucleosome core particles, 249
DNA curvature
  DNA structure, N.m.r. spectroscopy, 57
DNA structure
  N.m.r. spectroscopy, DNA curvature, 57
Dehydrothermal
  Collagen, Crosslink, 129
Denaturation
  High pressure, Chemical modification,
Desmosomes
  Intermediate filaments, Hemidesmosomes, 145
Deuterium label
  Poly(3-hydroxybutyrate), *Alcaligenes eutrophus*, 81
Diad frequencies
  Xylans, ^{13}C-n.m.r., 29
Differential scanning calorimetry
  Thermally stimulated current, Pentapeptide, 45
  Thermal denaturation, Bovine serum albumin, 305
Dimer peptide formation
  ys-Ala-Ala tripeptide, Molecular mechanical study, 154
Dissociation
  Glucosamine oligomers, Crystallization, 100
Domain structure
  Streptokinase, Calorimetry, 19

E. coli
  RNA polymerase, Tetrahymena, 338
Electron density
  X-ray diffraction, Polymers, 139
Enzymatic degradation
  Microbial copolyesters, *Pseudomonas lemoignei*, 235
Enzyme inhibitor
  Zinc protease, Polar interactions, 193
Enzyme susceptibilities
  Turbidimetric lysozyme assay, Bacterial cellulose containing N-acetylglucosamine, 343
Equimolar protein complex
  Streptokinase-plasminogen interactions, Spatial structure, 229

Folding
  Riboflavin, Riboflavin binding protein, 333
Formosan grey mullet
  Protamine, Mugiline β M6, 215
Formosan grey mullet
Fourier analysis
  Poly(β-hydroxybutyrate), Rhodobacter sphaeroides, 33
French beans
  Phaseolin, 7S globulin, 2

Glass transition
  Gluten, Sugars, 257
  Gluten, Lipids, 267
7S globulin
  Phaseolin, French beans, 2
Glucosamine oligomers
  Crystallization, Dissociation, 100
Gluten
  Glass transition, Sugars, 257
  Glass transition, Lipids, 267
Glycopeptide
  Conformation, N.m.r., 242
Glycosaminoglycans
  Plasmin, Urokinase, 97
Granule structure
  N.m.r., Plasticization, 50

Hemidesmosomes
  Intermediate filaments, Desmosomes, 145
High pressure
  Denaturation, Chemical modification,
Hydration
  Poly(dC-dG).poly(dC-dG), B-Z helical transition, 161
Hydrogen exchange
  Bovine pancreatic trypsin inhibitor, Salt bridge, 326

I.r. spectroscopy
  α-Chitin, Crystal structure, 221
Intermediate filaments
  Desmosomes, Hemidesmosomes, 145

Limited proteolysis
  Streptokinase, Streptokinase fragments, 107
Lipids
  Glass transition, Gluten, 267
Lysozyme
  Chitosan, N-acetylation, 225

Methionine specific tRNA
  Plant tRNAiMet, Plant ribosomal 5S RNA, 41
Microbial copolyesters
  Enzymatic degradation, *Pseudomonas lemoignei*, 235
Molecular mechanical study
  Lys-Ala-Ala tripeptide, Dimer peptide formation, 154
Molecular modelling
  Pectin fragment, Conformation, 313
Mugiline β M6
  Protamine, Formosan grey mullet, 215

N-acetylation
  Chitin, Chitosan, 166
  Chitosan, Lysozyme, 225
N.m.r.
  Granule structure, Plasticization, 50
  Glycopeptide, Conformation, 242
N.m.r. spectroscopy
  DNA structure, DNA curvature, 57
(1→3)α-D-glucan triacetate, 87
  Crystal structure, X-ray diffraction analysis, 87
^{13}C n.m.r.
  ^{1}H n.m.r., Chitin, 122
^{13}C-n.m.r.
  Xylans, Diad frequencies, 29
^{1}H n.m.r.
  ^{13}c n.m.r., chitin, 122
^{43}Ca n.m.r.
  Binding, S100 protein, 279
Nucleosome core particles
  DNA, Nucleosomes, 249
Nucleosomes
  DNA, Nucleosome core particles, 249

Organic cross-linking agents
  Cross-linking reaction, Water insolubilization, 66

Pectin fragment
  Molecular modelling, Conformation, 313
Pentapeptide
  Thermally stimulated current, Differential scanning calorimetry, 45
Peptides
  α-Methylaminoisobutyric acid, Conformation 178
Phaseolin
  7S globulin, French beans, 2
Plant ribosomal 5S RNA
  Methionine specific tRNA, Plant tRNAiMet, 41

0141-8130/92/060350-02
© 1992 Butterworth-Heinemann Limited

Plant tRNAiMet
Methionine specific tRNA, Plant ribosomal 5S RNA, 41
Plasmin
Urokinase, Glycosaminoglycans, 97
Plasticization
Granule structure, N.m.r., 50
Polar interactions
Zinc protease, Enzyme inhibitor, 193
Poly(3-hydroxyalkanoate)
Biosynthesis, Amino acid, 321
Poly(3-hydroxybutyrate)
Deuterium label, *Alcaligenes eutrophus*, 81
Poly(β-hydroxybutyrate)
Fourier analysis, Rhodobacter sphaeroides, 33
Poly(dC-dG).poly(dC-dG)
B-Z helical transition, Hydration, 161
Polyelectrolytes
Chitosan derivatives, Conformation, 73
Polymers
X-ray diffraction, Electron density, 139
Polypeptide
Polypeptide-dye complex, Circular dichroism, 201
Polypeptide-dye complex
Polypeptide, Circular dichroism, 201
Protamine
Mugiline β M6, Formosan grey mullet, 215
Protein structure
Streptokinase, Circular dichroism, 9
Pseudomonas lemoignei
Enzymatic degradation, Microbial copolyesters, 235

RNA polymerase
E. coli, Tetrahymena, 338
Rhodobacter sphaeroides
Poly(β-hydroxybutryate), Fourier analysis, 33
Riboflavin
Riboflavin binding protein, Folding, 333
Riboflavin binding protein
Riboflavin, Folding, 333

S100 protein
Binding ^{43}Ca n.m.r., 279
Salt bridge
Bovine pancreatic trypsin inhibitor, Hydrogen exchange, 326
Sesame seed protein
β-globulin, Acid pH, 298
Silk fibroin
Chemical modification, Arginyl residue, 198
Spatial structure
Streptokinase-plasminogen interactions, Equimolar protein complex, 229
Streptokinase
Protein structure, Circular dichroism, 9
Limited proteolysis, Streptokinase fragments, 107
Streptokinase
Streptokinase fragments
Streptokinase, Limited proteolysis, 107
Streptokinase-plasminogen interactions
Equimolar protein complex, Spatial structure, 229
Streptokinase
Domain structure, Calorimetry, 19
Sugars
Glass transition, Gluten, 257

Tetrahymena
E. coli, RNA polymerase, 338
Thermal denaturation
Bovine serum albumin, Differential scanning calorimetry, 305
Thermally stimulated current
Differential scanning calorimetry, Pentapeptide, 45
Transition sol-gel
β-lactoglobulin, Aggregation, 287
Triacetate
Copolymer, Cellulose, 274
Turbidimetric lysozyme assay
Bacterial cellulose containing N-acetylglucosamine, Enzyme susceptibilities, 343

Urokinase
Plasmin, Glycosaminoglycans, 97

Water insolubilization
Cross-linking reaction, Organic cross-linking agents, 66

X-ray diffraction
Polymers, Electron density, 139
X-ray diffraction analysis
(1→3)α-D-glucan triacetate, Crystal structure, 87
Xylans
^{13}C-n.m.r., Diad frequencies, 29
Xylans

Zinc protease
Enzyme inhibitor, Polar interactions, 193
α(1-2) linked manno-oligosaccharides
Concanavalin A, 185
α,β-dehydro-peptides
β-blends, a,B-dehydro-phenylalanine, 23
α,β-dehydro-phenylalanine
β-blends, α,β-dehydro-peptides, 23
α-Chitin
Crystal structure, I.r. spectroscopy, 221
α-Methylaminoisobutyric acid
Peptides, Conformation, 178
Lys-Ala-Ala tripeptide
Molecular mechanical study, Dimer peptide formation, 154

Letters 173, 292

Notes to Editor 170